

# AQA Wood

The dream of wellness becomes reality

**Lemi**<sup>®</sup>  
MADE IN ITALY





PATENTED

100%  
made in italy

### Smart Shape

The large lateral grooves channel the water to the drain, thereby facilitating cleaning operations.



### Waterproof mattress

A beige waterproof mattress, designed to make the treatment even more comfortable

### Bolero

A handpiece with water vibromassage which is perfect for every wet treatment, including scrubs, body wraps and mud wraps. The unit provides for the complete cleansing and rinsing of the body at the end of the treatment, with no need for an in-cabin shower. The bolero offers the possibility of performing the entire treatment upon the Aqa Wood unit: from "A" to "Z".



### Adjustable wet table

By means of an electric motor with a practical control mechanism, which guarantees the maximum comfort of the customer as well as the operator.



### Steam bath

The powerful steam generator allows the customer to enjoy an effective steam bath. Just mount the simple, hygienic, washable curtain, which is designed to optimize work operations, as well as to save time and in-cabin costs. The tub is entirely covered with an elegant Bisazza mosaic, which is available in four colors to better adapt to the style of any environment

### Wooden structure


An extremely solid and robust, electrically-adjustable wooden support structure



bleached wood



natural wood



wengè wood

DISCOVER WATER, BREATHE ITS PURITY, EXPERIENCE ITS BENEFITS: THE AQA WOOD IS THE NEW WET TABLE DESIGNED TO NATURALLY CARESS THE BODY AND SPIRIT, WHILE RESTORING BALANCE THROUGH CONTACT WITH THIS PRIMORDIAL ELEMENT. A HIGHLY-FUNCTIONAL CORE ENCLOSED WITHIN A MOSAIC OF REFINED BEAUTY: A JOY TO BEHOLD, A GEM CAPABLE OF GRACING THE SPA ENVIRONMENT WITH THE COLORS OF UNPARALLELED ELEGANCE.

**Ideal for:** Steam baths, body wraps and masks, scrubs, traditional body treatments, water treatments, peeling treatments, aromatherapy, thalassotherapy, mud therapy, massages and thermal treatments.



**LKP** *Lemi* Key Performance



**Profit Business System**

It offers several treatments multiplying the profitability of the Spa cabin.



**Customization**

Ample choice of colors for upholsteries and bases.



**Up & down**

Max lift capacity w/out risk 150 kg /331 lbs.



**Go green**

FSC certified wood.



**100% Made in Italy**

Distinctive Italian design.



**Multifunction**

Adjustable wet table, steam bath, vibromassage and top converter.



**All in 1**

The customer can even remain lying comfortably during the rinsing phase.



**Easy Access**

All customers get on and off the unit with maximum ease.



**Operator maximum comfort**

The adjustable height ensures a comfortable and ergonomic position for the operator.



**Face and body**

Ideal for body and face treatment and massages.



**Client maximum comfort**

It offers the maximum comfort to the customer: electric adjustment, hand shower and soft upholstery.



**Easy to Clean**


Excellent standards of cleanliness.

# Technical specifications


AQA Wood cod. 139



## Table of dimensions



Mosaics is available in the following colours



Venezia



Roma

Options upon request: Top converter mattress



Top Converter for massages available upon request.

## Packaging details

Packaging size:  
Wooden crate: cm 225 x 110 x 90 h (89"x44"x35")  
Volume: 2.23 m<sup>3</sup>  
Gross weight: 270 kg (596 lbs)  
Net weight: 130 kg (287 lbs)

## Electric requirements

Voltage: 230/110 V ac  
Frequency: 50 Hz  
Absorption: 6 Amp max  
Hydraulic connections required  
Installation schemes available upon request



**Brusaferrri & C S.r.l.**

Headquarters / Sede operativa:  
via M. Maretti Soldi, 13 (ex S.P. n. 6)  
26011 Casalbuttano (CR) • Italy  
Tel. +39 0374 363068/69  
Fax +39 0374 363071



[www.lemi.it](http://www.lemi.it) • [info@lemigroup.it](mailto:info@lemigroup.it)

AQA Wood is CE conformed and is manufactured in accordance with European Directives: 2006/42/CE; 2004/108/CE; 2006/95/CE. CEI EN 60204-1:2006-09; UNI EN 12100-1-2:2009; UNI EN 349 (2008)